

ACO DRAIN® Multiline NX Composite grating and edge rail





Simple installation for every application

ACO products made from NEXITE® support sustainable construction

ACO DRAIN® Multiline NX design and functionality

The installation of Multiline NX made of the ACO material NEXITE® is considerably simplified due to its robustness. This reduces the consumption of embedding concrete and therefore the CO₂ footprint of the construction.

askACO – in addition to technical support in the planning phase, we also provide consultancy on-site during the construction phase and therefore know exactly what is important for the contractor when installing our products.

www.aco.com/contact

- efficient
- sustainable
- easy to install saving time and embedding concrete



Landscaping project in Carolinensiel

The new HIIVE Hotel NOORD at the North Sea coast, Germany

ACO Composite grating for fassade drainage

Consistent design language at the fassade or in open spaces: Material homogeneity for edge rail and grating material leads to a harmonized finish. In coastal areas with a salt water atmosphere, there is a risk of corrosion. The composite material guarantees a permanently attractive appearance.


The ACO Composite grating Microgrip is slip resistant according to DIN 51130, R 11. Slot width is only 10 mm.





-23%

Reduced embedding



Necessary amount of embedding concrete for class C 250 installation in paving areas

A robust channel

The robust channel body allows direct installation in paved areas up to class C 250 to realize an aesthetic design.

Even easier to install

40 kg less embedding concrete on site per running metre of Multiline NX is saving costs, resources and time.

New design options in landscape architecture based on ACO products

Design freedom and sustainability are deeply rooted in modern architecture and planning. It's all about functionality and aesthetics – especially for garden designers and landscapers.

ACO DRAIN® Drainage channel Multiline NX

The drainage channel system Multiline NX made from the new sustainable ACO material NEXITE® provides water tightness and three edge rail materials. According to the needs of the project the edge rail can be selected from steel, cast iron or composite. The compatibility with the Drainlock grating range offers architects and planners the desired flexibility for various areas of application.

A consistent design language

Due to material homogeneity a consistent design language is possible. Edge rail and grating made from composite are a perfect match.

- colour stable: uniform, durable black appearance
- non corrosive
- noise reducing due to material plastic/plastic in edge rail/grating







The ACO DRAIN® Multiline NX drainage channel has been honoured with the prestigious if DESIGN AWARD 2025.

This globally renowned award is an award for excellence in outstanding design and quality.

ACO. we care for water

ACO Ahlmann SE & Co. KG

Am Ahlmannkai 24782 Büdelsdorf Germany info@aco-international.com www.aco.com



